

Colorado Administrative Code _Title 1000. Department of Public Health and Environment_1010.
Division of Environmental Health and Sustainability_6 CCR 1010-7. Health and Sanitation of Child Care
Facilities in the State of Colorado_Chapter Three. Facility_Building

6 CCR 1010-7:3-101

6 Colo. Code Regs. 1010-7:3-101Alternatively cited as 6 CO ADC 1010-7

1010-7:3-101. General.

The building or buildings wherein a child care facility is operated shall be maintained in good repair and shall not pose a health hazard to children enrolled. Buildings shall be maintained in a clean and sanitary condition and be free of insects, rodent and their harborages.

6 CCR 1010-7:3-102

6 Colo. Code Regs. 1010-7:3-102Alternatively cited as 6 CO ADC 1010-7

1010-7:3-102. Doors and Windows.

All openings to the outside shall be effectively protected against the entrance of insects and rodents by means of closed, tight fitting doors, screening of openable windows and/or other effective means.

6 CCR 1010-7:3-103

6 Colo. Code Regs. 1010-7:3-103Alternatively cited as 6 CO ADC 1010-7

1010-7:3-103. Finishes.

(a) Alterations of finishes shall be done in a manner that prevents hazards associated with lead. No paint containing lead shall be used when surfaces are repaired or when any new surfaces, accessible to children, are painted.

(b) Painted finishes shall be free from peeling or chipping paint.

(c) Construction, remodeling, or alterations of child care facilities shall be done in a manner that does not create a health hazard.

(d) Room finishes, cabinets, shelves and counters shall be easily cleanable, maintained in good repair, and kept clean.

(e) Hand contact and splash areas of doors, walls, cabinets and shelves shall be smooth, non-absorbent and easily cleanable.

(f) Floors shall be smooth, dry, cleanable and free of cracks, splinters, and utility outlets.

(g) Carpeting in approved areas shall be tightly woven and in good repair.

(h) Carpeting shall not be permitted in kitchens, restrooms, utility rooms, mechanical rooms, under and around sinks

Colorado Administrative Code _Title 1000. Department of Public Health and Environment_1010. Division of Environmental Health and Sustainability_6 CCR 1010-7. Health and Sanitation of Child Care Facilities in the State of Colorado_Chapter Three. Facility_Building and diaper changing areas or in laundry areas.

(i) Floor wall junctures in all areas not carpeted shall be tightly coved with approved concave coving.

6 CCR 1010-7:3-104
6 Colo. Code Regs. 1010-7:3-104Alternatively cited as **6 CO ADC 1010-7**
1010-7:3-104. Ventilation.

Ventilation, mechanical or natural, shall be maintained to minimize health hazards including excessive drafts, odors, extreme temperatures, humidity and temperature fluctuations.

6 CCR 1010-7:3-105
6 Colo. Code Regs. 1010-7:3-105Alternatively cited as **6 CO ADC 1010-7**
1010-7:3-105. Lighting.

All areas of the center shall be adequately lighted.

(a) A minimum of thirty (30) foot candles of light shall be provided upon work and play surfaces.

(b) A minimum of twenty (20) foot candles of light shall be provided in restrooms.

(c) A minimum of ten (10) foot candles of light shall be provided in hallways, stairways, and the remainder of the facility.

6 CCR 1010-7:3-106
6 Colo. Code Regs. 1010-7:3-106Alternatively cited as **6 CO ADC 1010-7**
1010-7:3-106. Heating.

Heating facilities shall maintain a draft-free temperature of at least 68°F at floor level in occupied infant and toddler rooms. The temperature shall be checked with a thermometer placed at floor level.

6 CCR 1010-7:3-201
6 Colo. Code Regs. 1010-7:3-201Alternatively cited as **6 CO ADC 1010-7**
1010-7:3-201. Detached Structures and Modular Classrooms.

Detached structures and modular classrooms not provided with plumbing shall meet all of the following stipulations:

(a) The facility cares only for school-age children;

Colorado Administrative Code _Title 1000. Department of Public Health and Environment_1010.
Division of Environmental Health and Sustainability_6 CCR 1010-7. Health and Sanitation of Child Care
Facilities in the State of Colorado_Chapter Three. Facility_Building
(b) Restrooms are to be within 200 feet of the structures or modular classrooms and accessible through unlocked
door or key access during all hours of operation.